



HARDBOND™ Polyaspartic HS Tropical Blend

HARDBOND™ “Polyaspartic HS Tropical Blend” is a high solids two component polyaspartic top coat designed for use over epoxies, flake, and quartz floors. It is not meant to go direct to concrete. It has a fast cure time with excellent adhesion and its’ low viscosity allows for fast turnaround of coating projects.

Coverage and Packaging:

Theoretical coverage is 200 sq. /ft. per gallon at 8 mils of coating thickness. Packaging consists of One Part “A” to One Part “B” for a total of 10 gallons.

Installation:

Mix 1 parts “A” to 1 part “B” into a clean pail using a Jiffy-type mixer carefully not to entrain air into the mix. Move mixer around in pail for 2 minutes to ensure proper mix of the “A” and “B” components. Only mix as much product as can be placed within 20 to 30 minutes of mixing depending on temperature.

Application:

Apply with either a ¼”, 3/8” nap roller or squeegee making sure the product does not puddle. Make sure to back roll in opposite direction for uniform product application.

Cure time:

Cure times vary on temperature conditions but typically are as little as 1 to 2 hours.

Safety:

Always wear proper safety equipment to protect eyes and skin. Keep a neat, clean mixing area to avoid potential safety issues. Make sure to read and understand all SDS sheets and become familiar with all application procedures and best practices. Recommended for use by professionals only!

Storage:

Keep lids on all products when not in immediate use. Store products in proper containers and in temperature between 45° and 80° F. 1 year shelf life in unopened containers.

Physical Characteristics:

Appearance – Clear to slightly yellow. Dries clear.

SOLIDS	88%
VOC	1.28
GLOSS	>90
ELONGATION	9
TENSILE	5935
SHORE D	78
TABER	30
IMPACT	98
PENCIL HARD	2H
1/8" MANDREL	PASS
POT LIFE	20-30
TEAR	340

Chemical Resistance:

- 0: No Discoloration/Corrosion
- 1: Minimal Discoloration/Corrosion
- 2: Fair Discoloration/Corrosion
- 3: Medium Discoloration/Corrosion
- 4: Heavy Discoloration/Corrosion
- 5: Extreme Discoloration/Corrosion

	Discoloration				Corrosion			
	1 minute	15 minutes	1 hour	24 hours	1 minute	15 minutes	1 hour	24 hours
Ammonium Hydroxide ¹	0	0	0	0	0	0	0	0
Benzoic Acid	0	0	0	0	0	0	0	0
Bleach ²	0	0	0	0	0	0	0	0
Boric Acid ³	0	0	0	0	0	0	0	0
Caustic Potash ⁴	0	0	0	0	0	0	0	0
Coca-Cola [®]	0	0	0	0	0	0	0	0
Copper Sulfate ⁵	0	0	0	0	0	0	0	0
Cranberry Juice ⁶	0	0	0	0	0	0	0	0

¹ Aqua Ammonia 26 Deg. Baume / NO DEPOSIT DRUMS

² up & up™ Concentrated Bleach, 8.25% NaOCl

³ Granular

⁴ 45% Liquid, Potassium Hydroxide

⁵ Medium Crystal

⁶ Pantry Cranberry Blend

Formaldehyde ⁷								
Hydrated Lime ⁸		0	0	0		0	0	0
Ketchup ⁹		0	0	0		0	0	0
Lactic Acid ¹⁰		0	0	0		0	1	2
Red Wine ¹¹		0	0	0		0	0	0
Trichloroethylene		0	0	-		5 (bubbling)	5 (bubbling)	-
Mustard ¹²		0	0	1		0	0	0
Oleic Acid ¹³		0	0	0		0	0	0
Sodium Bicarbonate		0	0	0		0	0	0
Heptane		0	0	0		0	0	0
Odorless Mineral Spirits		0	0	0		0	0	0
Aromatic SC-100		0	0	0		0	0	0
Toluene		0	0	0		0	0	0
Xylene		0	0	0		0	0	0
Methanol		0	0	0		0	0	0
Isopropyl Alcohol		0	0	0		0	0	0
n-butyl Acetate		0	0	0		0	0	0
Acetone		0	0	0		2	2	2
Methyl Ethyl Ketone		0	0	0		2 (bubbling)	2 (bubbling)	2 (bubbling)
Glacial Acetic Acid		0	0	-		0	3	-
Hydrochloric Acid	0	0			0	0		
Nitric Acid	3	5			1	4		
Phosphoric Acid ¹⁴	0	0			0	3		
Sulfuric Acid ¹⁵	0	5			1	5		

Allsource Supply Inc.
2752 Vinland Street
Oshkosh, WI 54901
Phone: 833-663-4255

⁷ Formaldehyde 37%—Methanol 11%

⁸ Mixture, Calcium Hydroxide

⁹ Heinz® Tomato Ketchup

¹⁰ 88% FCC-K

¹¹ Sutter Home, Merlot California (L075802-11)

¹² French's® Classic Yellow Mustard

¹³ Single-Distilled

SECTION 1: CHEMICAL AND MANUFACTURER IDENTIFICATION

Product Name: 185-T250A Polyaspartic HS Tropical Blend Part A Product Code: 185-T250A

Allsource Supply, Inc
 2752 Vinland Street
 Oshkosh, WI 54901
 1-833-663-4233
 info@allsourcesupplyinc.com
 www.allsourcesupplyinc.com

24 Hour Emergency: INFOTRAC: 1-800-535-5053
 Or 1-352-323-3500 (outside USA)

INFOTRAC Customer ID: 111088

NOTE: INFOTRAC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals

Not recommended for:

Because many of the conditions are within the user's knowledge and control, it is essential that the user evaluate and determine whether the product is suitable and appropriate for a particular use and intended application, and complies with all local applicable laws, regulations, standards, and guidance.

SECTION 2: HAZARD(S) IDENTIFICATION

Prepared according to Global Harmonized System (GHS) Standards

GHS Classification Scale 1=Severe Hazard; 4=Slight Hazard

GHS Ratings:

Skin sensitizer	1	Skin sensitizer
Organ toxin single exposure	3	Transient target organ effects- Narcotic effects- Respiratory tract irritation

GHS Hazards

H317	May cause an allergic skin reaction
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

GHS Precautions

P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves, protective clothing, eye protection, face protection
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P321	Specific treatment (see first aid section on this label/SDS)
P363	Wash contaminated clothing before reuse
P302+P352	IF ON SKIN: Wash with soap and water

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention
P405 Store locked up
P403+P233 Store in a well ventilated area. Keep container tightly closed.
P501 Dispose of contents / container to an approved waste disposal facility

Signal Word: Warning



SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS number	Weight Concentration %
Aspartic acid, N,N'-[methylenebis(2-methyl-4,1-cyclohexanediyl)]bis-, tetraethyl ester	136210-32-7	70.00% - 80.00%
DL-Aspartic acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-, tetraethyl ester	136210-30-5	10.00% - 20.00%

SECTION 4: FIRST AID MEASURES

Inhalation: Move affected person to fresh air. If breathing has stopped, administer CPR. If the person vomits, clean the airway and turn their head to the side to prevent choking. If the person is unconscious but breathing, place them stably on their left side in the recovery position. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Eyes: Flush eyes gently with clean water for at least 15 minutes. If irritation persists, seek immediate medical attention.

Skin: Remove any contaminated clothing using appropriate gloves. Rinse skin thoroughly for 15 minutes in a shower or with a hose. Seek immediate medical attention.

Ingestion: Rinse mouth with water to remove any residual chemical. If the person vomits, clean their airway and turn their head to the side to prevent choking. DO NOT induce vomiting and DO NOT give them anything to drink unless directed to do so by a physician. If the person is unconscious but breathing, place them stably on their left side in recovery position. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Additional Notes to Physician - Treat symptomatically. No specific antidote available

SECTION 5: FIREFIGHTING MEASURES

Flash Point: N/A

LEL: N/A

UEL: N/A

Suitable Extinguishing Media:

Foam

Carbon Dioxide (CO₂)

Dry Chemical

Specific Hazards During Firefighting: Prevent firefighting run-off from entering drains or sewers.

Byproducts of Combustion: Fires involving this product may release oxides of carbon and nitrogen, reactive hydrocarbons, and irritating vapors.

Unusual Fire and Explosion Hazards: Any closed container may rupture when exposed to extreme heat. Use a water spray to cool sealed containers. Solvent vapors are heavier than air and can travel along the ground.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill / Leak Clean-Up Procedures:

Immediately turn off or isolate any source of ignition (pilot lights, electrical equipment, flames, heaters, etc.). Evacuate area and ventilate. Personnel wearing proper protective equipment should contain spill immediately with inert materials (sand, earth, chemical spill pads of cotton) by forming dikes. Dikes should be placed to contain spill in a manner that will prevent material from entering sewers and waterways. Large spills, once contained, may be picked up using explosion proof, non-sparking vacuum pumps, shovels, or buckets, and disposed of in suitable containers. If a large spill occurs notify the appropriate authorities.

In case of road spill or accident contact INFOTRAC (1-800-535-5053).

CAUTION: If spilled material is cleaned up using a regulated solvent, the resulting waste mixture will also be regulated.

Do not empty into drains. All disposal must comply with federal, state, and local regulations. The material, if spilled or discarded, may be a regulated waste. Refer to state and local regulations. Department of Transportation (DOT) regulations may apply for transporting this material when spilled. See Section 14.

SECTION 7: HANDLING AND STORAGE

Handling Precautions:

Open containers carefully and in a well ventilated area, and use appropriate respiratory protection. Wash hands thoroughly after handling. Keep containers closed when not in use. Do not transfer to unmarked containers. Empty containers contain product residue which may exhibit hazardous properties therefore, do not pressurize, cut, glaze, weld or use for any other purpose. Return drums to reclamation center for proper cleaning and reuse.

Storage Requirements:

Store in a cool, dry, well ventilated area. Keep containers tightly closed and store away from heat, sparks, open flame or oxidizing materials. Extended storage at excessive temperatures may produce odorous and toxic fumes from product decomposition.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Aspartic acid, N,N'- [methylenebis(2-methyl-4,1- cyclohexanediyl)]bis-, tetraethyl ester 136210-32-7	Not Established	Not Established	Not Established

DL-Aspartic acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-, tetraethyl ester
136210-30-5

Not Established

Not Established

Not Established

Engineering Controls: Avoid creating dust or mist. Local exhaust ventilation, process enclosures, or other engineering controls are required when handling or using this product to avoid over exposure. Use explosion-proof ventilation equipment. Do not use in closed or confined spaces. Keep all levels below exposure limits. Perform regular monitoring to ensure exposure limits are not exceeded.

Personal Protective Equipment (PPE):

Respiratory Protection - Do not breathe vapors. When concentrations exceed the established limits, wear an appropriate, properly fitted respirator (NIOSH/MSHA) until vapors are exhausted. Observe OSHA standard 29 CFR 1910.134 and ANSI Z88.2 requirements whenever workplace conditions require a respirators use.

Hand Protection - Wear appropriate protective gloves and clothing to prevent skin exposure. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product.

Eye Protection - Use safety eyewear with splash guards or side shields. Use additional eye protection such as chemical safety goggles when the possibility for eye contact from splashing, spraying liquid, or airborne material exists.

Skin Protection - Avoid contact with this product. Wear appropriate protective gloves and clothing to prevent skin exposure. Use proper glove and clothing removal techniques to avoid skin contact with this product. When handling large quantities, eye wash stations and deluge showers should be available.

Hygiene Measures:

General - When using do not eat or drink. Wash hands with soap and water before breaks and at the end of each workday.

Contaminated Equipment - Avoid contact with contaminated clothing and protective gear/equipment. Wash before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

This mixture typically exhibits the following properties under normal circumstances:

Appearance Liquid Dispersion	Odor Organic Solvent
Physical State Liquid	Specific Gravity (SG) 1.049
Lbs VOC/Gallon Less Water 0.06	Flash point: 999°C, 999°F
g VOC/L Less Water 7.25	Boiling range: N/A

SECTION 10: STABILITY AND REACTIVITY

Product Stability (under normal conditions):

STABLE

Incompatible Materials: Strong acids, strong bases, oxidizing agents

Hazardous Decomposition Products: Carbon Dioxide (CO₂), Carbon Monoxide (CO), Oxides of Nitrogen (NO_x), dense black smoke

Hazardous polymerization will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Mixture Toxicity

Inhalation Toxicity LC50: 7mg/L

Note - Toxicological studies have not been performed on this mixture. The toxicological data listed is compiled using data from the components of the mixture. Refer to Section 2 of this SDS for GHS classification of acute and chronic effects of exposure.

Principle Routes of Exposure:

Inhalation Skin Contact Eye Contact Ingestion

May cause damage to the following organs:

Eyes Skin

Carcinogenicity: The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing) or ACGIH (optional listing):

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			None

SECTION 12: ECOLOGICAL INFORMATION

Bioaccumulative Potential: No data available

Mobility in Soil: No data available

Persistence and Degradability: No data available

Component Ecotoxicity

SECTION 13: DISPOSAL CONSIDERATIONS

Do not discharge product into sewer system. Dispose of in a licensed facility. Waste management should be in full compliance with federal, state, and local laws.

The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR 262, 263, 264, 268 and 270. Chemical additions, processing, or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate.

SECTION 14: TRANSPORT INFORMATION

This material is classified for transport as follows:

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
US DOT	Not Regulated			

SECTION 15: REGULATORY INFORMATION

Additional regulatory listings where applicable

- None

State of California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986) WARNING! This product contains the following substance(s) which are listed by the State of California as carcinogenic, or a reproductive toxin:

100-41-4 Ethylbenzene Carcinogen

108-88-3 Toluene Carcinogen

Clean Air Act, Section 112, Hazardous Air Pollutants (HAPs) (see 40 CFR 61) This product contains the following substance(s) which are listed as hazardous air pollutants (HAPs) per the Clean Air Act:

- None

Massachusetts Right To Know This product contains the following toxic or hazardous substance(s) which appear on the Massachusetts Substance List:

- None

New Jersey Worker and Community Right to Know Hazardous Substance List The following substance(s) appear on the New Jersey Right to Know Hazardous Substance List:

- None

Commonwealth of Pennsylvania Worker and Community Right To Know Act This product contains the following substance(s) which appear on the Pennsylvania Hazardous Substance List:

- None

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) This product contains a chemical or chemicals which are subject to the reporting requirements of the Act, and Title 40, of the Code of Federal Regulations, part 372:

- None

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
Australian	Australian Inventory of Chemical Substances	No
Japan	Existing and New Chemical Substances	No
China	Inventory of Existing Chemical Substances Produced	No
New Zealand	Inventory of Chemicals	No
Philippines	Philippine Inventory of Chemicals and Chemical	No
	Reach PBT/vPvB	No

TSCA Substance Control Act (TSCA) All substances except those listed below appear in the Toxic Substances Control Act, Chemical Substance Inventory:

- None

SECTION 16: OTHER INFORMATION

Disclaimer: The Volatile Organic Compound (VOC) content reported herein, if any, is based on a material VOC calculation. Several methods are used for the calculation of VOC content, and the standards and requirements regarding VOC content vary by location or jurisdiction.

This document has been prepared using data from sources considered to be technically reliable and is believed to be correct as of the date hereof. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use, and to comply with all federal, state, provincial, and local laws and regulations.

Revision Notes:

Reviewer Revision

Date Prepared: 3/26/2021